

Material Safety Data Sheet

GLD ULTRA SGL WH 94800

1. Product and company identification

Product name

: GLD ULTRA SGL WH 94800

Synonym Trade name : Not available.: Not available.

Material uses

: Not available.

Manufacturer

: Akzo Nobel Canada Inc. 2505 De la Métropole, Longueuil, QC, J4G 1E5

Validation date

: **2010-04-23**. : 2010-04-23.

Print date
Responsible name

: Regulatory Department

In case of emergency

: 514 495-5710 8:00 - 17:00

Product use

: Water based coating

2. Hazards identification

Emergency overview

: CAUTION!



MAY BE HARMFUL IF SWALLOWED. MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA. POSSIBLE CANCER HAZARD - CONTAINS MATERIAL WHICH MAY CAUSE CANCER, BASED ON ANIMAL DATA.

May be harmful if swallowed. Slightly irritating to the eyes, skin and respiratory system. Avoid exposure - obtain special instructions before use. Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Contains material that may cause target organ damage, based on animal data. Contains material which may cause cancer, based on animal data. Risk of cancer depends on duration and level of exposure. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

Medical conditions aggravated by overexposure : Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (section 11)

3. Composition/information on ingredients

Name Titanium dioxide CAS number 13463-67-7

10 - 30

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4 First aid measures

Eye contact

: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

Inhalation

: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Ingestion

: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Notes to physician

: No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

5 . Fire-fighting measures

Flammability of the product : In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

: None known.

Special exposure hazards

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Hazardous combustion products

: Decomposition products may include the following materials: carbon dioxide

carbon monoxide metal oxide/oxides

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Special remarks on fire hazards

: Not available.

Special remarks on explosion hazards

: Not available.

Accidental release measures

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Accidental release measures

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and storage

Handling

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Product name

Titanium dioxide

Exposure limits

ACGIH TLV (United States, 1/2008). Notes: Substance identified by other sources as a suspected or confirmed human carcinogen. 1996 Adoption Substances for which the TLV is higher than the OSHA Permissible Exposure Limit (PEL) and/or the NIOSH Recommended Exposure Limit (REL). See CFR 58(124):36338-33351, June 30, 1993, for revised OSHA PEL. Refers to Appendix A - Carcinogens.

TWA: 10 mg/m³ 8 hour(s).

OSHA PEL (United States, 11/2006). TWA: 15 mg/m³ 8 hour(s). Form: Total dust OSHA PEL 1989 (United States, 3/1989). TWA: 10 mg/m³ 8 hour(s). Form: Total dust

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Exposure controls/personal protection 8.

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eyes

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Other protection Personal protective equipment (Pictograms) : Not available. : Not available.

Physical and chemical properties

Physical state

: Liquid.

Flash point

: Closed cup: 96°C (204.8°F)

Auto-ignition temperature

: Not available.

Flammable limits

: Not available. : Various

Color : Glycol Odor : Not applicable.

pH Boiling/condensation point

: 100°C (212°F)

Melting/freezing point

: -5°C (23°F)

Specific gravity

: 1.19

Vapor pressure

: 3.3 kPa (25 mm Hg)

Vapor density

: >1 [Air = 1]

Volatility

: 69.93% (v/v), 60.6% (w/w)

Odor threshold

: Not available.

Evaporation rate

: 0.05 (butyl acetate = 1)

: 92.9 g/l [Method 24]

VOC

: Easily dispersible in the following materials: cold water.

Dispersibility properties Octanol/water partition

: Not available.

coefficient

Decomposition temperature

: Not available.

Viscosity

: Dynamic: 1400 mPa·s (1400 cP)

Stability and reactivity

Stability

: The product is stable.

Hazardous polymerization

: Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid Materials to avoid

: No specific data.

Hazardous decomposition

: No specific data.

products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Conditions of reactivity

: Slightly flammable in the presence of the following materials or conditions: open flames, sparks and static discharge.

Not available.

11. Toxicological information

Acute toxicity

Product/ingredient name

Result

Species

Dose

Exposure

Not available.

Chronic toxicity

Not available.

Not available.

Product/ingredient name

Result

Species

Dose

Exposure

Irritation/Corrosion

Product/ingredient name

Result

Species

Score Exposure

Observation

Sensitizer

Product/ingredient name

Route of exposure

Species

Result

Not available.

Carcinogenicity

Product/ingredient name

Result

Species

Dose

Exposure

Not available.

Classification Product/ingredient name

ACGIH A4 IARC 2B EPA

NIOSH

OSHA

Mutagenicity

Titanium dioxide

Product/ingredient name

Not available.

Test

Experiment

Result

NTP

Teratogenicity

Product/ingredient name

Result

Species

toxin

Dose

Exposure

Not available.

Reproductive toxicity

Product/ingredient name

Maternal toxicity

Fertility

Development

Species

Dose

Exposure

Not available.

Synergistic products

: Not available.

Potential acute health effects

Inhalation

: Slightly irritating to the respiratory system.

Ingestion

: Harmful if swallowed.

Skin

: Slightly irritating to the skin.

Eyes

: Slightly irritating to the eyes.

Potential chronic health effects

Chronic effects

: Contains material that may cause target organ damage, based on animal data.

Carcinogenicity

: Contains material which may cause cancer, based on animal data. Risk of cancer

depends on duration and level of exposure.

Mutagenicity Teratogenicity No known significant effects or critical hazards.No known significant effects or critical hazards.

Developmental effects

: No known significant effects or critical hazards.

Fertility effects
Target organs

No known significant effects or critical hazards.Contains material which may cause damage to the following organs: lungs, upper

respiratory tract, skin.

Over-exposure signs/symptoms

Inhalation

: Adverse symptoms may include the following:

respiratory tract irritation

coughing

GLD ULTRA SGL WH 94800

11. Toxicological information

Ingestion

: No specific data.

Skin

: Adverse symptoms may include the following:

irritation redness

Eyes

: Adverse symptoms may include the following:

watering redness

12. Ecological information

Environmental effects

: No known significant effects or critical hazards.

Aquatic ecotoxicity

Product/ingredient name Titanium dioxide

Result Species Test Daphnia - Water Acute EC50 >1000000 ug/L

flea - Daphnia magna - <24 Fresh water hours

Acute LC50 5.5 ppm Fresh water

Daphnia - Water 48 hours flea - Daphnia magna - Juvenile (Fledgling, Hatchling,

Exposure

48 hours

96 hours

48 hours

Weanling) - <24 hours

Acute LC50 >1000000 ug/L Marine water

Fish -Mummichog -Fundulus

heteroclitus Daphnia - Water

Chronic NOEC 500 ppm Fresh water

flea - Daphnia magna - Juvenile

(Fledgling, Hatchling, Weanling) - <24 hours

Chronic NOEC 1 ppm Fresh water

48 hours Daphnia - Water flea - Daphnia

magna - Juvenile (Fledgling, Hatchling, Weanling) - <24

hours

Conclusion/Summary

: Not available.

Bioconcentration factor

: Not available.

Mobility

: Not available.

Toxicity of the products of

biodegradation

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

GLD ULTRA SGL WH 94800

13. Disposal considerations

Waste stream

: Not available.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

TDG Classification Not regulated.

IMDG Class

Not regulated.

IATA-DGR Class

Not regulated.

15. Regulatory information

WHMIS (Canada)


: Class D-2A: Material causing other toxic effects (Very toxic).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Label requirements

: MAY BE HARMFUL IF SWALLOWED. MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA. POSSIBLE CANCER HAZARD -CONTAINS MATERIAL WHICH MAY CAUSE CANCER, BASED ON ANIMAL DATA.

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

16. Other information

Version

: 4

Notice to reader

The manufacturer hereby declares that the information disclosed herein have been based on our raw material suppliers' data, information and notification. Such raw materials are being used as components in the manufacturing of the product. The manufacturer has no control over the nature and content of such information. The manufacturer fully reproduces all the information it holds on the constituent of the product, at the time it is manufactured. The manufacturer does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. By this data sheet, the manufacturer hereby discloses all the potential dangers it has knowledge of and which might be related to the using or manipulation of the product in order to allow the proper care to be brought and use with regard to the product. Materials used may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist and notification is hereby given to the user. The product must be handled with care and it is recommended to use all the required measures in order to ensure the protection and safety of any person using or handling the product. Notice is hereby given that injury can derive therefrom if the foregoing is not respected. The manufacturer assumes no responsibility for personal and/or material damage, lost or injury of whichever nature caused or which may occur following the wrongful, inappropriate, negligent or abusive use or handling of the

GLD ULTRA SGL WH 94800

16. Other information

product or from not having read the herein contained information.

2010-04-23.